WD 6 P S V-30/8/35/T

The WD 6 P S V-30/8/35/T wet and dry vacuum cleaner features a 30 l stainless steel container with drain screw, a power outlet, and a flat pleated filter that is cleaned at the push of a button.



DESIGN AWARD 2022

Made in Europe

Order no.	1.628-375.0

- Device socket, filter cleaning, drain screw
- 1,300 W rated input power, 30 l stainless steel container, 8 m cable, 3.5 m hose
- Flat pleated filter, floor nozzle, crevice nozzle, fleece filter bag

Technical data

EAN code		886622041351
Rated input power	**W**	1300
Rated Input Power Integrated Socket	**W**	min. 100 – max. 720
Suction Power	**W**	265
Vacuum	**mbar**	max. 290
Air flow	**l/s**	max. 75
Container capacity	**l**	30
Container material		Stainless steel
Colour component		Device head Yellow / Container Stainless steel / Device bumper Yellow
Power cable	**m**	8
Nominal size of accessory	**mm**	35
Voltage	**V**	120
Frequency	**Hz**	60
Sound pressure level	**dB(A)**	74
Colour		Yellow
Weight without accessories	**kg**	9.9
Weight incl. packaging	**kg**	13.6
Dimensions (L × W × H)	**mm**	418 × 382 × 693

Scope of supply

- **Suction hose length:** 3.5 m
- **Suction hose type:** With curved handle
- **Suction hose material:** Plastic
- **Removable handle with electrostatic protection**
- **Quantity of suction tubes:** 2 Piece(s)
- **Suction tubes length:** 0.5 m
- **Suction tubes nominal width:** 35 mm
- **Suction tubes material:** Stainless steel
- **Wet and dry floor nozzle:** Switchable
- **Crevice nozzle**
- **Flexible suction hose:** 1 m / 35 mm
- **Adaptor for connecting power tools**
- **Number of fleece filter bags:** 1 Piece(s)

Equipment

- **Flat pleated filter:** Cellulose
- **Fleece filter bag:** 3-layer
- **Power outlet with automatic on/off switch**
- **Filter cleaning function**
- **Rotary switch (on/off)**
- **Power control**
- **Blower function**
- **Intermediate parking position of the handle on the device head**

WD 6 P S V-30/8/35/T, 1.628-375.0, 2026-11-06

Hose storage on the device head
Storage space for small parts
Convenient 3-in-1 carrying handle
Cable hook
Parking position
Accessory storage on the device
Drain screw
Sturdy bumper
Castors without brake: 5 Piece(s)





Power outlet with automatic on/off switch for working with power tools

- Dirt that is a result of planing, sawing or grinding is suctioned away directly.
- The vacuum cleaner is switched on and off automatically via the power tool.



Outstanding filter cleaning

- At the push of a button, targeted pulse air streams move the dirt from the filter into the container, clearing the filter for further use.



Patented filter removal technology

- Quick and easy removal of the filter from the filter box – without contact with dirt.
- For wet and dry vacuuming without filter replacement.

WD 6 P S V-30/8/35/T, 1.628-375.0, 2026-11-06

KÄRCHER

ACCESSORIES FOR WD 6 P S V-30/8/35/T
1.628-375.0


1


2


3


4


5


6


7


8


9


10


11


12


13


14

		Order no.	Description	
VACUUMS				
Filters				
Flat pleated filter KFI 4410	1	2.863-005.0	Flat pleated filter for vacuuming fine and coarse dirt and liquids without having to change the filter.	■
Fleece filter bags KFI 487	2	2.863-006.0	The tear-resistant KFI 487 fleece filter bags are suitable for vacuuming dry and damp dirt. Suitable for Kärcher Home & Garden wet and dry vacuum cleaners.	☐
Flat-pleated filter Renovation KFI 4440	3	2.863-354.0	Special flat pleated filter for vacuuming fine dust created during renovation work and power tool applications. Suitable for Kärcher wet and dry vacuum cleaners.	☐
Fleece filter bags Renovation KFI 489	4	2.863-355.0	Special fleece filter bag for vacuuming fine dust created during renovation work and power tool applications. Suitable for Kärcher wet and dry vacuum cleaners.	☐
Nozzles				
Switchable wet and dry floor nozzle with integrated parking nib	5	2.863-000.0	Foot switch-operated floor nozzle for perfect collection of dry and wet dirt. Suitable for all Kärcher wet and dry vacuum cleaners and spray extraction cleaners.	■
Car nozzle	6	2.863-316.0	Fast, effortless vacuuming guaranteed: With the car nozzle, you can clean textile surfaces in your car and around the house conveniently and thoroughly.	☐
Extra-long crevice nozzle	7	2.863-306.0	Completely overhauled extra-long crevice nozzle. Ideal for hard-to-reach places in the car. Suitable for all Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
Upholstery nozzle	8	2.863-398.0	For gently removing dirt from textile surfaces in the car and household. Suitable for wet and dry vacuum cleaners and spray extraction cleaners.	☐
Accessory kits				
Vacuum kit for power tools	9	2.863-112.0	Flexible suction hose (1 m) including adapter for connection to the exhaust air vent of power tools (e.g. jigsaws, grinders, drills, planes, etc.), for dirt-free DIY.	■
Car interior cleaning kit	10	2.863-304.0	From the footwell and the seats to the car boot: the special accessory kit for Kärcher Home & Garden wet and dry vacuum cleaners ensures uninterrupted interior car cleaning.	☐
Suction brush kit	11	2.863-221.0	The suction brush set enables cleaning of various surfaces in the car and household. Suitable for all Home & Garden wet and dry vacuum cleaners and SE 4-6 spray extraction cleaners.	☐
Household kit	12	2.863-356.0	Handy accessory kit for switching between dry floor nozzle and upholstery nozzle. Suitable for all Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
Special applications				
Drill dust catcher	13	2.863-234.0	The drill dust catcher enables safe and dust-free drilling on all common wall and ceiling surfaces. Drill dust is suctioned directly from the drill hole.	☐
3.5 m suction hose extension	14	2.863-305.0	The 3.5 m suction hose extension is suitable for all corded Home & Garden wet and dry vacuum cleaners and provides a larger operating radius and greater freedom of movement.	☐

■ Included in the scope of supply. ☐ Available accessories.

ACCESSORIES FOR WD 6 P S V-30/8/35/T
1.628-375.0



15

		Order no.	Description	
VACUUMS				
Special applications				
Extension suction tube	15	2.863-308.0	Practical extension suction tube for greater operating range. The extension of the suction tube is recommended particularly for applications in areas that are difficult to access, such as high ceilings.	☐

☐ Available accessories.