WD 2 PLUS V-15/4/18/C

The WD 2 Plus V-15/4/18/C guarantees ultra-powerful performance with its 15 l plastic container, blower function, one-piece cartridge filter, 4 m cable and 1.8 m suction hose.



Made in Europe

Order no. **1.628-016.0**

- Streamline your DIY projects with integrated storage and blower function.
- 1,000 W rated input power, 15 l plastic container, 4 m cable, 1.8 m hose
- Includes specialised one-piece cartridge filter and accessories for tough workshop mess.

Technical data

EAN code		4066529181152
Rated input power	**W**	1000
Suction Power	**W**	220
Vacuum	**mbar**	max. 220
Air flow	**l/s**	max. 43
Container capacity	**l**	15
Container material		Plastic
Colour component		Device head Yellow / Container Yellow / Device bumper Yellow
Power Cable	**m**	4
Standard accessory ID	**mm**	35
Voltage	**V**	220 – 240
Frequency	**Hz**	50 – 60
Sound pressure level	**dB(A)**	74
Colour		Yellow
Weight without accessories	**kg**	4.4
Weight incl. packaging	**kg**	6.3
Dimensions (L × W × H)	**mm**	349 × 328 × 430

Scope of supply

Suction hose length: 1.8 m
Suction hose type: with straight handle
Suction hose material: Plastic
Quantity of suction tubes: 2 Piece(s)
Suction tubes length: 0.5 m
Suction tubes nominal width: 35 mm
Suction tubes material: Plastic
Wet and dry floor nozzle: Clips
Crevice nozzle
Number of cartridge filters: 1 Piece(s)
Number of fleece filter bags: 1 Piece(s)

Equipment

Cartridge filter: Cellulose
Fleece filter bag: 3-layer
Rotary switch (On/Off)
Blower function
Intermediate parking position of the handle on the device head
Additional accessory storage on the device head
Storage space for small parts
Folding carrying handle
Parking position
Accessory storage on the device

WD 2 Plus V-15/4/18/C, 1.628-016.0, 2026-11-06

Sturdy bumper

Castors without brake: 4 Piece(s)





Cartridge filter

- Switch between wet and dry tasks without stopping to change filters
- One-piece filter design allows for quick installation and removal by turning.



Stability by Design: Low-gravity canister keeps attachments stable and within reach.

- Integrated accessory storage ensures tools are kept secure and easily accessible
- Space-saving design allows the unit to be stored easily in small cupboards or cars.



Versatile blower function

- Dislodge debris from tight gaps or gravel beds where suction alone is impractical
- Effortlessly dislodge debris from gravel beds and tight areas where suction alone fails.

WD 2 Plus V-15/4/18/C, 1.628-016.0, 2026-11-06

KÄRCHER

EQUIPMENT FOR WD 2 PLUS V-15/4/18/C
1.628-016.0


1


2


3


4


5


6


7


8


9


10


11


12


13


14

		Order no.	Description	
VACUUMS				
Filters				
Cartridge filter KFI 3310	1	2.863-303.0	Cartridge filter for vacuuming fine and coarse dirt and liquids without having to change the filter. Suitable for Kärcher Home & Garden wet and dry vacuum cleaners.	■
Fleece filter bags KFI 357	2	2.863-314.0	The KFI 357 fleece filter bags are suitable for vacuuming dry and damp dirt. Suitable for Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
Nozzles				
Switchable wet and dry floor nozzle with integrated parking nib	3	2.863-000.0	Foot switch-operated floor nozzle for perfect collection of dry and wet dirt. Suitable for all Kärcher wet and dry vacuum cleaners and spray extraction cleaners.	☐
Car nozzle	4	2.863-316.0	Fast, effortless vacuuming guaranteed: With the car nozzle, you can clean textile surfaces in your car and around the house conveniently and thoroughly.	☐
Extra-long crevice nozzle	5	2.863-306.0	Completely overhauled extra-long crevice nozzle. Ideal for hard-to-reach places in the car. Suitable for all Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
Flexible Crevice Nozzle	6	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
Upholstery nozzle	7	2.863-398.0	For gently removing dirt from textile surfaces in the car and household. Suitable for wet and dry vacuum cleaners and spray extraction cleaners.	☐
Upholstery Nozzle for Pet Hair	8	2.863-375.0	Extra wide upholstery nozzle for reliably removing dirt, especially animal hair, from car and home textiles with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
Accessory kits				
Car interior cleaning kit	9	2.863-304.0	From the footwell and the seats to the car boot: the special accessory kit for Kärcher Home & Garden wet and dry vacuum cleaners ensures uninterrupted interior car cleaning.	☐
Suction brush kit	10	2.863-221.0	The suction brush set enables cleaning of various surfaces in the car and household. Suitable for all Home & Garden wet and dry vacuum cleaners and SE 4-6 spray extraction cleaners.	☐
Household kit	11	2.863-356.0	Handy accessory kit for switching between dry floor nozzle and upholstery nozzle. Suitable for all Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
Blower adapter kit	12	2.863-373.0	Ensures effortless inflation and deflation of air mattresses, swimming pools, inflatable boats, etc. using a Kärcher Home & Garden wet and dry vacuum cleaner.	☐
Vacuum kit for power tools	13	2.863-112.0	Flexible suction hose (1 m) including adapter for connection to the exhaust air vent of power tools (e.g. jigsaws, grinders, drills, planes, etc.), for dirt-free DIY.	☐
Special applications				
Drill dust catcher	14	2.863-234.0	The drill dust catcher enables safe and dust-free drilling on all common wall and ceiling surfaces. Drill dust is suctioned directly from the drill hole.	☐

■ Included in delivery. ☐ Available accessories.

EQUIPMENT FOR WD 2 PLUS V-15/4/18/C
1.628-016.0


15


16

		Order no.	Description	
VACUUMS				
Special applications				
3.5 m suction hose extension	15	2.863-305.0	The 3.5 m suction hose extension is suitable for all corded Home & Garden wet and dry vacuum cleaners and provides a larger operating radius and greater freedom of movement.	☐
Extension suction tube	16	2.863-308.0	Practical extension suction tube for greater operating range. The extension of the suction tube is recommended particularly for applications in areas that are difficult to access, such as high ceilings.	☐

☐ Available accessories.